

Savanna Open Woods



Tallgrass Mesic Prairie Savanna Seed Mix

PLS where applicable

A mix for open grown hardwoods, with patchwork full sun & shade with a grassy understory. This mix will also work in new tree plantings in full sun. Do not use equipment within the dripline of trees. Shallow, gentle soil prep only!

Species	Common Name	lb/ac
<i>Ageratina altissima</i> { <i>Eupatorium rugosum</i> }	White Snake Root	0.031
<i>Agrostis perennans</i>	Upland Bent	1.000
<i>Andropogon gerardii</i>	Big Bluestem	2.000
<i>Asclepias syriaca</i>	Common Milkweed	0.063
<i>Baptisia lactea</i> { <i>B alba macrophylla</i> }	White Indigo	0.063
<i>Bromus latiglumis</i> { <i>B altissimus</i> }	Earleaf Brome	0.015
<i>Carex Bicknellii</i>	Bicknells Sedge	0.188
<i>Carex grisea</i>	Wood Gray Sedge	0.031
<i>Carex Sprengelii</i>	Sprengels Sedge	0.031
<i>Ceanothus americanus</i>	New Jersey Tea	0.031
<i>Coreopsis tripteris</i>	Tall Coreopsis	0.094
<i>Desmodium canadense</i>	Showy Ticktrefoil	0.094
<i>Diarrhena americana</i>	Beak Grass	0.031
<i>Elymus canadensis</i>	Canada Rye	2.000
<i>Elymus hystrix</i> { <i>Hystrix patula</i> }	Bottlebrush Grass	0.063
<i>Elymus villosus</i>	Silky Rye	0.125
<i>Elymus virginicus</i>	Virginia Rye	1.000
<i>Eupatorium altissimum</i>	Tall Boneset	0.031
<i>Euthamia graminifolia</i> { <i>Solidago g</i> }	Grass Leaf Goldenrod	0.063
<i>Gentiana alba</i> { <i>G. flavida</i> }	Pale Gentian	0.063
<i>Glyceria striata</i>	Fowl Manna Grass	0.063
<i>Heliopsis helianthoides</i>	Early Sunflower	0.125
<i>Juncus dudleyi</i>	Dudleys Rush	0.125
<i>Monarda fistulosa</i>	Bergamont	0.094
<i>Oenothera biennis</i>	Evening Primrose	0.063

<i>Oenothera gaura</i> { <i>Gaura biennis</i> }	Biennial Gaura	0.031
<i>Oligoneuron rigidum</i> { <i>Solidago r</i> }	Stiff Goldenrod	0.063
<i>Panicum virgatum</i>	Switch Grass	0.500
<i>Polygonatum biflorum commutatum</i> { <i>P canaliculatum</i> }	Smooth Solomons Seal	0.031
<i>Pycnanthemum tenuifolium</i>	Slender Mt Mint	0.031
<i>Pycnanthemum virginianum</i>	Common Mt Mint	0.063
<i>Rudbeckia hirta</i>	Blackeyed Susan	0.125
<i>Rudbeckia subtomentosa</i>	Sweet Coneflower	0.125
<i>Rudbeckia triloba</i>	Browneyed Susan	0.250
<i>Schizachyrium scoparium</i> { <i>Andropogon s</i> }	Little Bluestem	2.000
<i>Solidago juncea</i>	Early Goldenrod	0.015
<i>Solidago ulmifolia</i>	Elmleaf Goldenrod	0.188
<i>Sorghastrum nutans</i>	Indian Grass	2.000
<i>Symphyotrichum drummondii</i> { <i>Aster d</i> }	Drummonds Aster	0.063
<i>Symphyotrichum shortii</i> { <i>Aster s</i> }	Shorts Aster	0.063
<i>Symphyotrichum urophyllum</i> { <i>Aster sagittifolius</i> }	Arrowleaf Aster	0.063
<i>Tradescantia ohioensis</i>	Ohio Spiderwort	0.046
<i>Vernonia missurica</i>	Missouri ironweed	0.046
<i>Zizia aurea</i>	Golden Alexander	0.063
v020415		*
total		13.252
total native matrix		13.252

All items subject to availability. Mix composition may vary seasonally.

*

Dry Mesic Savanna Open Woods Grasses Mix

PLS where applicable

Not for de novo tree plantings! A mix of grass & grass-like plants for average soil to slightly dry soil, in open woodlands or woodland edges. Must have filtered sunlight or shade with several hours of direct sunlight every day. Many species will not persist or perform well in full sun or deep shade. Best dormant seeded.

Species	Common Name	lb/ac
<i>Agrostis perennans</i>	Upland Bent	0.250
<i>Bouteloua curtipendula</i>	Side Oats Gramma	2.000
<i>Bromus latiglumis</i> { <i>B altissimus</i> }	Earleaved Brome	0.015
<i>Carex brevior</i>	Shorter Sedge	0.500
<i>Diarrhena americana</i>	Beak Grass	0.031
<i>Elymus canadensis</i>	Canada Rye	1.000
<i>Elymus hystrix</i> { <i>Hystrix patula</i> }	Bottlebrush Grass	0.062
<i>Elymus villosus</i>	Silky Rye	0.125
<i>Elymus virginicus</i>	Virginia Rye	1.000
<i>Festuca subverticillata</i> { <i>F obtusa</i> }	Nodding Fescue	0.250
<i>Glyceria striata</i>	Fowl Manna Grass	0.062
<i>Juncus tenuis</i>	Path Rush	0.062
<i>Schizachyrium scoparium</i> { <i>Andropogon s</i> }	Little Bluestem	1.000

V020415

*

total 6.357

total native matrix 6.357

All items subject to availability. Mix composition may vary seasonally.

*

Dry Mesic Savanna Open Woods with Flowers Mix

PLS where applicable

Not for de novo tree plantings! A grass, sedge, rush, & forb seed mix for open woodlands or woodland edges. Must have filtered sunlight or shade with several hours of direct sunlight every day. Many species will not persist or perform well in full sun or deep shade. Best dormant seeded.

Species	Common Name	lb/ac
<i>Agastache nepetoides</i>	Yellow Giant Hyssop	0.016
<i>Agastache scrophulariaefolia</i>	Purple Giant Hyssop	0.016
<i>Agrostis perennans</i>	Upland Bent	0.031
<i>Anemone virginiana</i>	Tall Anemone	0.031
<i>Aquilegia canadensis</i>	Columbine	0.006
<i>Baptisia lactea</i> * <i>B alba macrophylla</i> *	White Indigo	0.125
<i>Bromus latiglumis</i> { <i>B altissimus</i> }	Ear Leaf Brome	0.250
<i>Campanulastrum americana</i> { <i>Campanula a</i> }	Tall Bellflower	0.006
<i>Carex brevior</i>	Shorter Sedge	0.250
<i>Clematis virginiana</i>	Virgins Bower	0.031
<i>Diarrhena americana</i>	Beak Grass	0.031
<i>Echinacea purpurea</i>	Purple Coneflower	1.000
<i>Elymus canadensis</i>	Canada Rye	1.000
<i>Elymus hystrix</i> { <i>Hystrix patula</i> }	Bottlebrush Grass	0.031
<i>Elymus villosus</i>	Silky Rye	3.000
<i>Elymus virginicus</i>	Virginia Rye	1.000
<i>Eutrochium purpureum</i> { <i>Eupatorium p</i> }	Purple Joeypyeweed	0.031
<i>Festuca subverticillata</i> { <i>F obtusa</i> }	Nodding Fescue	0.250
<i>Glyceria striata</i>	Fowl Manna Grass	0.062
<i>Hypericum ascyron</i> { <i>H pyramidatum</i> }	Great St Johnswort	0.016
<i>Juncus dudleyi</i>	Dudley's Rush	0.062
<i>Lobelia siphilitica</i>	Great Blue Lobelia	0.016
<i>Maianthemum racemosum</i> { <i>Smilacina r</i> }	Feathery False Solomon Seal	0.006
<i>Penstemon digitalis</i>	Foxglove Beardtongue	0.125
<i>Polygonatum biflorum commutatum</i> { <i>P canaliculatum</i> }	Smooth Solomons Seal	0.016
<i>Pycnanthemum pilosum</i>	Hairy Mt Mint	0.016
<i>Pycnanthemum tenuifolium</i>	Slender Mt Mint	0.094
<i>Ratibida pinnata</i>	Yellow Coneflower	0.188
<i>Rosa blanda</i>	Early Wild Rose	0.015
<i>Rudbeckia hirta</i>	Blackeyed Susan	0.250
<i>Rudbeckia triloba</i>	Browneyed Susan	0.125
<i>Silphium integrifolium</i>	Rosin Weed	0.125

<i>Silphium perfoliatum</i>	Cup Plant	0.125
<i>Solidago juncea</i>	Early Goldenrod	0.094
<i>Solidago ulmifolia</i>	Elmleafed Goldenrod	0.188
<i>Symphotrichum drummondii</i> {Aster d}	Drummonds Aster	0.063
<i>Symphotrichum lateriflorum</i> {Aster l}	Calico Aster	0.031
<i>Symphotrichum shortii</i> {Aster s}	Shorts Aster	0.188
<i>Symphotrichum urophyllum</i> {Aster sagittifolius}	Arrowleaf Aster	0.062
<i>Teucrium canadense</i>	Germander	0.062
<i>Tradescantia ohiensis</i>	Ohio Spiderwort	0.016
<i>Verbena hastata</i>	Blue Vervain	0.063
<i>Verbena urticifolia</i>	White Vervain	0.063
<i>Veronicastrum virginicum</i>	Culvers Physic	0.031
<i>Zizia aurea</i>	Golden Alexander	0.062
v020415		*
total		9.269
total native matrix		9.269

All items subject to availability. Mix composition may vary seasonally.

*

Lo Pro Dry Mesic Savanna Open Woods Grass Mix

PLS where applicable

Not for *de novo* tree plantings! A mix of shorter grasses, sedges, & rushes, for open woodlands or woodland edges. Must have filtered sunlight or shade with several hours of direct sunlight every day. Many species will not persist or perform well in full sun or deep shade. Dormant seed.

Species	Common Name	lb/ac
<i>Agrostis perennans</i>	Upland Bent	0.125
<i>Bromus latiglumis</i> { <i>B altissimus</i> }	Earleafed Brome	0.015
<i>Carex brevior</i>	Shorter Sedge	0.500
<i>Carex grisea</i>	Wood Gray Sedge	0.063
<i>Diarrhena americana</i>	Beak Grass	0.031
<i>Elymus canadensis</i>	Canada Rye	1.000
<i>Elymus hystrix</i> { <i>Hystrix patula</i> }	Bottlebrush Grass	0.063
<i>Elymus villosus</i>	Silky Rye	2.000
<i>Elymus virginicus</i>	Virginia Rye	1.000
<i>Festuca subverticillata</i> { <i>F obtusa</i> }	Nodding Fescue	0.250
<i>Glyceria striata</i>	Fowl Manna Grass	0.063
<i>Juncus dudleyi</i>	Dudleys Rush	0.063
<i>Juncus tenuis</i>	Path Rush	0.063
V020415		*
total		5.236
total native matrix		5.236

All items subject to availability. Mix composition may vary seasonally.

*

Lo Pro Dry Mesic Savanna Open Woods with Flowers Mix

PLS where applicable

Not for *de novo* tree plantings! A mix of shorter grasses, sedges, rushes, & forbs for open woodlands or woodland edges. Must have filtered sunlight or shade with several hours of direct sunlight every day. Many species will not persist or perform well in full sun or deep shade Dormant seed best.

Species	Common Name	lb/ac
<i>Ageratina altissima</i> { <i>Eupatorium rugosum</i> }	White Snake Root	0.016
<i>Agrostis perennans</i>	Upland Bent	0.125
<i>Anemone virginiana</i>	Tall Anemone	0.031
<i>Aquilegia canadensis</i>	Columbine	0.006
<i>Baptisia lactea</i> { <i>B alba macrophylla</i> }	White Indigo	0.125
<i>Bromus latiglumis</i> { <i>B altissimus</i> }	Ear Leaf Brome	0.063
<i>Carex brevior</i>	Shorter Sedge	0.031
<i>Carex sprengelii</i>	Sprengels Sedge	0.031
<i>Ceanothus americanus</i>	New Jersey Tea	0.031
<i>Diarrhena americana</i>	Beak Grass	0.031
<i>Echinacea purpurea</i>	Purple Coneflower	0.500
<i>Elymus canadensis</i>	Canada Rye	1.000
<i>Elymus hystrix</i> { <i>Hystrix patula</i> }	Bottlebrush Grass	0.062
<i>Elymus villosus</i>	Silky Rye	1.000
<i>Elymus virginicus</i>	Virginia Rye	1.000
<i>Festuca subverticillata</i> { <i>F obtusa</i> }	Nodding Fescue	0.250
<i>Glyceria striata</i>	Fowl Manna Grass	0.062
<i>Hypericum ascyron</i> { <i>H pyramidatum</i> }	Great St Johnswort	0.188
<i>Juncus dudleyi</i>	Dudleys Rush	0.062
<i>Juncus tenuis</i>	Path Rush	0.062
<i>Lobelia siphilitica</i>	Great Blue Lobelia	0.016
<i>Maianthemum racemosum</i> { <i>Smilacina r</i> }	Feathery False Solomon Seal	0.006
<i>Penstemon digitalis</i>	Foxglove Beardtongue	0.125
<i>Polygonatum biflorum commutatum</i> { <i>P canaliculatum</i> }	Smooth Solomons Seal	0.063
<i>Pycnanthemum pilosum</i>	Hairy Mt Mint	0.031
<i>Rosa blanda</i>	Early Wild Rose	0.031
<i>Rudbeckia hirta</i>	Blackeyed Susan	0.300
<i>Silphium integrifolium</i>	Rosin Weed	0.125
<i>Solidago caesia</i>	Bluestem Goldenrod	0.015
<i>Solidago juncea</i>	Early Goldenrod	0.063
<i>Solidago ulmifolia</i>	Elm Leaf Goldenrod	0.250
<i>Symphyotrichum drummondii</i> { <i>Aster d</i> }	Drummonds Aster	0.125
<i>Symphyotrichum lateriflorum</i> { <i>Aster l</i> }	Calico Aster	0.031
<i>Symphyotrichum shortii</i> { <i>Aster s</i> }	Shorts Aster	0.250
<i>Symphyotrichum urophyllum</i> { <i>Aster sagittifolius</i> }	Arrowleafed Aster	0.188

<i>Teucrium canadense</i>	Germander	0.062
<i>Tradescantia ohiensis</i>	Ohio Spiderwort	0.031
<i>Veronicastrum virginicum</i>	Culver Physic	0.031
<i>Zizia aurea</i>	Golden Alexander	0.062
total		6.481
total native matrix		6.481

*

Wet Savanna Open Woods Grass Mix

PLS where applicable

Not for de novo tree plantings! A grass & highly ornamental native sedge mix for low, moist to wet, open woods & moist upland wooded basins. Tolerates clean standing water in spring. Our most handsome native sedges are in this mix. Must have filtered sunlight or shade with several hours of direct sunlight every day. Will not grow in dense shade. Dormant seed.

Species	Common Name	lb/ac
<i>Agrostis perennans</i>	Upland Bent	0.125
<i>Bromus kalmii</i>	Kalms Brome	0.125
<i>Bromus latiglumis</i> { <i>B altissimus</i> }	Ear Leaf Brome	0.015
<i>Carex cruscovii</i>	Crowfoot Sedge	0.125
<i>Carex Frankii</i>	Franks Sedge	0.125
<i>Carex Grayii</i>	Grays Sedge	0.015
<i>Carex grisea</i>	Wood Gray Sedge	0.015
<i>Carex lupuliformis</i>	Knobbed Hop Sedge	0.063
<i>Carex lupulina</i>	Hop Sedge	0.063
<i>Carex muskingumensis</i>	Palm Sedge	0.063
<i>Carex normalis</i>	Normal Sedge	0.015
<i>Carex projecta</i>	Necklace Sedge	0.125
<i>Carex Shortiana</i>	Shorts Sedge	0.125
<i>Carex squarrosa</i>	Squarrose Sedge	0.063
<i>Carex straminea</i>	Straw Sedge	0.188
<i>Carex vulpinoidea</i>	Fox Sedge	0.500
<i>Cinna arundinacea</i>	Wood Reed Grass	0.250
<i>Diarrhena americana</i>	Beak Grass	0.031
<i>Elymus hystrix</i> { <i>Hystrix patula</i> }	Bottlebrush Grass	0.063
<i>Elymus riparius</i>	Riverbank Rye	0.063
<i>Elymus villosus</i>	Silky Rye	2.000
<i>Elymus virginicus</i>	Virginia Rye	2.000
<i>Festuca subverticillata</i> { <i>F obtusa</i> }	Nodding Fescue	0.250
<i>Glyceria striata</i>	Fowl Manna Grass	0.125
<i>Poa palustris</i>	Marsh Bluegrass	1.000
V020415		*
total		7.532
total native matrix		7.532

All items subject to availability. Mix composition may vary seasonally.

*

Wet Savanna Open Woodland with Flowers Mix

PLS where applicable

Not for *de novo* tree plantings! A grass, forb, & highly ornamental native sedge mix for low, moist to wet open woods & moist upland wooded basins. Tolerates clean standing water in spring & may dry out in August. Our most showy native sedges in this mix. Must have filtered sunlight or shade with several hours of direct sunlight every day. Will not grow in dense shade. Dormant seed. This & any of our mixes can be adapted to the species known from your county.

Species	Common Name	lb/ac
<i>Ageratina altissima</i> { <i>Eupatorium rugosum</i> }	White Snake Root	0.063
<i>Agrostis perennans</i>	Upland Bent	0.125
<i>Andropogon gerardii</i>	Big Bluestem	0.063
<i>Angelica atropurpurea</i>	Angelica	0.094
<i>Bidens cernua</i>	Nodding Burmarigold	0.015
<i>Bromus kalmii</i>	Kalms Brome	0.015
<i>Bromus latiglumis</i> { <i>B altissimus</i> }	Earleafed Brome	0.015
<i>Carex cruscovii</i>	Crowfoot Sedge	0.063
<i>Carex Frankii</i>	Franks Sedge	0.125
<i>Carex Grayii</i>	Grays Sedge	0.015
<i>Carex grisea</i>	Wood Gray Sedge	0.015
<i>Carex lupuliformis</i>	Knobbed Hop Sedge	0.063
<i>Carex lupulina</i>	Hop Sedge	0.063
<i>Carex muskingumensis</i>	Palm Sedge	0.063
<i>Carex normalis</i>	Normal Sedge	0.015
<i>Carex projecta</i>	Necklace Sedge	0.125
<i>Carex shortiana</i>	Shorts Sedge	0.125
<i>Carex squarrosa</i>	Squarrose Sedge	0.063
<i>Carex straminea</i>	Straw Sedge	0.063
<i>Carex vulpinoidea</i>	Fox Sedge	0.500
<i>Cinna arundinacea</i>	Wood Reed Grass	0.063
<i>Clematis virginiana</i>	Virgin's Bower	0.063
<i>Cryptotaenia canadensis</i>	Honewort	0.015
<i>Diarrhena americana</i>	Beak Grass	0.031
<i>Doellingeria umbellata</i>	Flattopped Aster	0.031
<i>Elymus hystrix</i> { <i>Hystrix patula</i> }	Bottlebrush Grass	0.063
<i>Elymus riparius</i>	Riverbank Rye	0.063
<i>Elymus villosus</i>	Silky Rye	1.000
<i>Elymus virginicus</i>	Virginia Rye	1.000
<i>Eutrochium purpureum</i> { <i>Eupatorium p</i> }	Purple Joepyeweed	0.031
<i>Festuca subverticillata</i> { <i>F obtusa</i> }	Nodding Fescue	0.063

<i>Glyceria striata</i>	Fowl Manna Grass	1.000
<i>Helenium autumnale</i>	Sneezeweed	0.063
<i>Heracleum maximum</i>	Cow Parsnip	0.015
<i>Lobelia cardinalis</i>	Cardinal Flower	0.015
<i>Lobelia siphilitica</i>	Great Blue Lobelia	0.015
<i>Lycopus americanus</i>	Common Water Horehound	0.125
<i>Mimulus ringens</i>	Monkey Flower	0.031
<i>Osmorhiza claytoni</i>	Woolly Sweet Cicely	0.062
<i>Physostegia virginiana</i>	False Dragonhead	0.031
<i>Pycnanthemum pilosum</i>	Hairy Mt Mint	0.015
<i>Silphium perfoliatum</i>	Cup Plant	0.125
<i>Solidago gigantea</i>	Late Goldenrod	0.063
<i>Symphyotrichum lateriflorum</i> {Aster l}	Calico Aster	0.031
<i>Symphyotrichum novae-angliae</i> {Aster n}	New England Aster	0.250
<i>Symphyotrichum puniceum</i> {Aster p}	Swamp Aster	0.250
<i>Verbena hastata</i>	Blue Vervain	0.188
<i>Verbena urticifolia</i>	White Vervain	0.031
<i>Verbesina alternifolia</i> {Actinomeris a}	Wingstem	0.188
<i>Zizia aurea</i>	Golden Alexander	0.125
V020415		*
total		6.730
total native matrix		6.730

All items subject to availability. Mix composition may vary seasonally.

*

Lo Pro Wet Savanna Open Woods Grass & Sedge Mix

PLS where applicable

Not for *de novo* tree plantings! A mix of shorter grasses & highly ornamental native sedges for low, moist to wet open woods & moist upland wooded basins. Tolerates clean standing water in spring & may dry out in August. Our most handsome native sedges are in this mix. Must have filtered sunlight or shade with several hours of direct sunlight every day. Will not grow in dense shade. Best dormant seeded. A veritable caricetum.

Species	Common Name	lb/ac
<i>Agrostis perennans</i>	Upland Bent	0.125
<i>Bromus kalmii</i>	Kalms Brome	0.015
<i>Bromus latiglumis</i> {B altissimus}	Ear Leaf Brome	0.015
<i>Carex cruscovii</i>	Crowfoot Sedge	0.188
<i>Carex Frankii</i>	Franks Sedge	0.250
<i>Carex Grayii</i>	Grays Sedge	0.063
<i>Carex grisea</i>	Wood Gray Sedge	0.015
<i>Carex lupuliformis</i>	Knobbed Hop Sedge	0.125
<i>Carex lupulina</i>	Hop Sedge	0.063
<i>Carex muskingumensis</i>	Palm Sedge	0.188
<i>Carex normalis</i>	Normal Sedge	0.015

<i>Carex projecta</i>	Necklace Sedge	0.188
<i>Carex Shortiana</i>	Shorts Sedge	0.125
<i>Carex squarrosa</i>	Squarrose Sedge	0.188
<i>Carex straminea</i>	Straw Sedge	0.188
<i>Carex vulpinoidea</i>	Fox Sedge	1.000
<i>Cinna arundinacea</i>	Wood Reed Grass	0.188
<i>Diarrhena americana</i>	Beak Grass	0.063
<i>Elymus riparius</i>	Riverbank Rye	0.063
<i>Elymus villosus</i>	Silky Rye	2.000
<i>Elymus virginicus</i>	Virginia Rye	2.000
<i>Festuca subverticillata</i> { <i>F obtusa</i> }	Nodding Fescue	0.063
<i>Glyceria striata</i>	Fowl Manna Grass	0.125
v020415		*
total		7.252
total native matrix		7.252

All items subject to availability. Mix composition may vary seasonally.

*

Lo Pro Wet Savanna Open Woods with Flowers

PLS where applicable

Not for de novo tree plantings! A mix of shorter grasses, highly ornamental native sedges, & shorter to medium tall forbs for low, moist to wet open woods & moist upland wooded basins. Tolerates clean standing water in spring & may dry out in August. Our most showy native sedges in this mix. Must have filtered sunlight or shade with several hours of direct sunlight every day. Will not grow in dense shade. Best dormant seeded.

Species	Common Name	lb/ac
<i>Ageratina altissima</i> { <i>Eupatorium rugosum</i> }	White Snake Root	0.063
<i>Agrostis perennans</i>	Upland Bent	0.125
<i>Bidens cernua</i>	Nodding Burmarigold	0.125
<i>Bromus kalmii</i>	Kalms Brome	0.015
<i>Bromus latiglumis</i> { <i>B altissimus</i> }	Ear Leaf Brome	0.015
<i>Carex cruscovii</i>	Crowfoot Sedge	0.063
<i>Carex Frankii</i>	Franks Sedge	0.188
<i>Carex Grayii</i>	Grays Sedge	0.078
<i>Carex grisea</i>	Wood Gray Sedge	0.015
<i>Carex lupuliformis</i>	Knobbed Hop Sedge	0.063
<i>Carex lupulina</i>	Hop Sedge	0.063
<i>Carex muskingumensis</i>	Palm Sedge	0.063
<i>Carex normalis</i>	Normal Sedge	0.015
<i>Carex projecta</i>	Necklace Sedge	0.125
<i>Carex Shortiana</i>	Shorts Sedge	0.125
<i>Carex squarrosa</i>	Squarrose Sedge	0.063
<i>Carex straminea</i>	Straw Sedge	0.125
<i>Carex vulpinoidea</i>	Fox Sedge	0.500

<i>Cinna arundinacea</i>	Wood Reed Grass	0.063
<i>Clematis virginiana</i>	Virgins Bower	0.063
<i>Cryptotaenia canadensis</i>	Honewort	0.015
<i>Diarrhena americana</i>	Beak Grass	0.031
<i>Doellingeria umbellata</i>	Flattopped Aster	0.031
<i>Elymus hystrix</i> { <i>Hystrix patula</i> }	Bottlebrush Grass	0.063
<i>Elymus riparius</i>	Riverbank Rye	0.063
<i>Elymus villosus</i>	Silky Rye	2.000
<i>Elymus virginicus</i>	Virginia Rye	1.000
<i>Eutrochium purpureum</i> { <i>Eupatorium p</i> }	Purple Joeypyeweed	0.031
<i>Festuca subverticillata</i> { <i>F obtusa</i> }	Nodding Fescue	0.015
<i>Glyceria striata</i>	Fowl Manna Grass	0.125
<i>Geum aleppicum</i>	Yellow Avens	0.063
<i>Helenium autumnale</i>	Sneezeweed	0.063
<i>Lobelia cardinalis</i>	Cardinal Flower	0.015
<i>Lobelia siphilitica</i>	Great Blue Lobelia	0.015
<i>Lycopus americanus</i>	Common Water Horehound	0.125
<i>Mimulus ringens</i>	Monkey Flower	0.031
<i>Osmorhiza Claytoni</i>	Woolly Sweet Cicely	0.062
<i>Physostegia virginiana</i>	False Dragonhead	0.031
<i>Pycnanthemum pilosum</i>	Hairy Mt Mint	0.015
<i>Solidago gigantea</i>	Late Goldenrod	0.031
<i>Symphotrichum lateriflorum</i> { <i>Aster l</i> }	Calico Aster	0.031
<i>Verbena hastata</i>	Blue Vervain	0.063
<i>Zizia aurea</i>		0.063
V020415		*
total		5.936
total native matrix		5.94

All items subject to availability. Mix composition may vary seasonally.

*

Native understory seed mixes for new upland & wetland tree plantings are available in the not ready for prime time mixes.

